

Poster nr.	Abstract title	Surname	First name	Country
P 001	Identifying Suitable Brassica Species for Planting in Rain-fed Conditions in Iran	Zebarjadi	Alireza	Iran
P 002	Genetic relationship between yellow seeded Brassica napus from two different sources	Rahman	Habibur	Canada
P 003	Mapping of the major seed color locus of the Brassica A genome (Brassica rapa)	Rahman	Habibur	Canada
P 004	Producing haploid and doubled haploid plants using microspore culture in Brassica species	Zaman Mirabadi	Ali	Iran
P 005	Winter Oilseed Rape Semi-Dwarf hybrids: a new variety type for sustaining the Oilseed Rape acreage in Ukraine	Kryvulko	Ruslan	Ukraine
P 006	Forage yield components in some brassicas	Marjanovic-Jeromela	Ana	Serbia
P 007	Challenges in breeding forage brassicas in Serbia	Marjanovic-Jeromela	Ana	Serbia
P 008	Genetic mapping of a dominant yellow seed-coat gene in Brassica napus	Liu	Kede	China
P 009	Two distinct genetic diversity groups of oilseed Brassica juncea in both China and India	Chen	Sheng	China
P 010	Alternaria blight resistance in advanced lines derived from interspecific hybrids developed through embryo rescue	Singh	Dhiraj	India
P 011	Evaluation and genetic analysis of pod shattering resistance in Brassica napus	Hu	Qiong	China
P 012	Study on the methods for hybrid purity determination in Brassica napus	Hu	Qiong	China
P 013	Maternal effects and genetic improvement of seed oil content in Brassica napus	Wang	Hanzhong	China
P 014	Chinese semi-winter Brassica rapa can effectively widen the genetic basis of oilseed rape as revealed with virtual allopolyploid	Qian	Wei	China
P 015	Genetic Analysis and Improvement of a Recessive Genic Male Sterility in Brassica napus	Tu	Jinxing	China
P 016	Variability in the content of some seed compounds in wide hybrids within Brassica genus in comparison to initial forms	Wojciechowski	Andrzej	Poland
P 017	Inheritance of phytosterol and oil content in a doubled haploid population derived from the winter oilseed rape cross Sansibar x Oase	Teh	Lishia	Germany
P 018	Inheritance of oil content in the doubled haploid population SG14 x Express 617	Behnke	Nina	Germany
P 019	Development high seed yield spring type canola germplasm by utilizing winter type rapeseed lines	Rahman	Mukhlesur	USA
P 020	Crossability and cytogenetic characterization of hybrids between Brassica napus and B. oleracea	Qian	Wei	China
P 021	Canola breeding at the North Dakota State University	Rahman	Mukhlesur	USA
P 022	Disruption of germination and seedling development in Brassica napus by mutations causing severe seed hormonal imbalance	Nguyen	Tung	Germany
P 023	The development of molecular marker for detection of self-incompatible plants: a powerful tool in Brassica napus hybrid breeding	Havlickova	Lenka	Czech Republic
P 024	Glucosinolate content of harvested rapeseed in the state variety trials of Thuringia in relation to the seed quality grading and to the trial location	Schone	Friedrich	Germany
P 025	Identification of a candidate restorer gene for Nsa cytoplasmic male sterility	Hu	Qiong	China
P 026	Analysis of quantitative trait loci for phenolic compounds and their relationship to Verticillium longisporum resistance in oilseed rape	Hossain	Muhammed Ali	Germany
P 027	Introgression of useful genes from Brassica juncea into Brassica napus	Wang	Xuejun	China
P 028	Digital gene expression analysis during seedling development in winter oilseed rape	Salazar	Bertha	Germany
P 029	Mapping QTLs for fatty acid components of Brassica napus in two different environments	Liu	Liezhao	China
P 030	Development of SCAR Markers Associated with Polima Cytoplasmic Male Sterility Restorer Gene (Rfp) in Brassica napus	Yang	Guangsheng	China
P 031	Primary studies on the possibility of hybrid heterosis prediction with SSR markers	Yang	Guangsheng	China
P 032	Breeding and development of HOLL Winter Oilseed Rape hybrids	Guguin	Nelly	France
P 033	Genetic Map Construction and Sclerotinia Resistance QTLs Identification in Rapeseed (Brassica napus L.)	Zhang	Jiefu	China
P 034	Relationship among yield components and selection criteria for yield improvement in early rapeseed as a rotation crop in a double-cropping rice area	Zhang	Xue-kun	China
P 035	Mixed inheritance model and SSR markers for waterlogging tolerance of Brassica napus L.	Zhang	Xue-kun	China
P 036	Genetic analysis of branching angle in rapeseed (Brassica napus L.) with mixed model of major gene plus polygene	Zhang	Xue-kun	China
P 037	Developing high -oil content homozygous two-type line 20228AB of recessive genic male sterility in Brassica napus L.	Yang	Liyong	China
P 038	Rapid breeding of super cultivars and creating of new germplasms using doubled haploid technology in Brassica napus L.	Wu	Jiangsheng	China
P 039	Study on specific inhibiting of rrf1 gene in recessive epistatic genic male sterility in Brassica napus L.	Wu	Xinjie	China

Poster nr.	Abstract title	Surname	First name	Country
P 040	Interspecific blackleg resistance transfer for oilseed rape breeding - the oligogenic approach	Winter	Hendrik	Germany
P 041	Alleles from winter type rapeseed in an inverted duplication block of C6 chromosome promote plant flowering	Wang	Jing	China
P 042	Genetic contribution of vegetative traits to yield traits among subspecies or varieties in <i>B. campestris</i> L.	Li	Dianrong	China
P 043	Research to flower differentiation of winter rapeseed	Sun	Wancang	China
P 044	Growth and Development Characteristics of Winter Rapeseed Northern- Extended from the Cold and Arid Regions in China	Sun	Wancang	China
P 045	Utilization of cytoplasmic male sterility system Shaan 2A in a hybrid breeding of winter oilseed rape	Vyvadilova	Miroslava	Czech Republic
P 046	Breeding of winter rapeseed in the Central European Russia	Volovik	Valentina	Russia
P 047	Genetic survey of a Canadian collection of <i>Brassica napus</i> breeding lines and germplasm	Vail	Sally	Canada
P 048	Improvement of oilseed rape through genetic analysis of nitrogen use efficiency in a diploid Brassica	Teakle	Graham	United Kingdom
P 049	Influence of yellow-seeded parent on DH populations of Brassica napus obtained from reciprocal crosses between black- and yellow-seeded DH line	Szala	Laurenca	Poland
P 050	Characterization of a seed meal quality locus on chromosome A09 of Brassica napus	Stein	Anna	Germany
P 051	Evaluation of high water use efficient Brassica juncea L. germplasm for gas exchange parameters and seed yield	Singh	Maharaj	India
P 052	Increasing level of tolerance in Indian mustard against Alternaria blight through half sib progeny selection	Singh	Vijay veer	India
P 053	Fluorescence in situ hybridization of 9 disomic rape-radish addition lines and meiotic pairing	Budahn	Holger	Germany
P 054	Genetic variation for secondary seed dormancy in a set of current European winter oilseed rape cultivars	Schatzki	Jörg	Germany
P 055	Mapping of QTL for secondary seed dormancy in a winter oilseed rape doubled haploid population	Schatzki	Jörg	Germany
P 056	Novel insights into the genetic control of crop yield by QTL mapping in rapeseed (<i>Brassica napus</i> L.)	Li	Ruiyuan	China
P 057	Hybridization potential between the oilseed crucifer Camelina sativa and canola, mustard and related weeds	Seguin-Swartz	Ginette	Canada
P 058	Phytosterols as bioactive endogenous components of rape seeds	Rudzinska	Magdalena	Poland
P 059	The development of molecular markers for the Ogura hybridization system in Brassica species	Roslinsky	Vicky	Canada
P 060	Analysis of FAD2B alleles in interspecific derived Brassica juncea and Brassica carinata	Roslinsky	Vicky	Canada
P 061	Plant defence to Verticillium wilt and fungal sclerotia biology	Roos	Jonas	Sweden
P 062	Improving water-use efficiency and drought tolerance in canola – potential contribution from improved carbon isotope discrimination (CID)	Raman	Harsh	Australia
P 063	Development of low (zero) total glucosinolate, low linolenic acid, yellow-seeded Brassica napus canola	Rakow	Gerhard	Canada
P 064	Breeding and genetic research towards the creation of yellow seeded, low saturated fat Brassica napus canola	Rakow	Gerhard	Canada
P 065	Breeding and genetic research towards the creation of yellow seeded, low saturated fat, low (zero) total glucosinolate Brassica napus canola	Rakow	Gerhard	Canada
P 066	Development of yellow seeded Brassica napus canola with high stability specialty oil containing linolenic levels of less than 1%.	Rakow	Gerhard	Canada
P 067	Use of European winter canola Brassica napus L. for the improvement of Canadian spring canola: A practical breeding example	Rahman	Habibur	Canada
P 068	Can clubroot resistance of winter Brassica napus (Mendel) be used for the development of clubroot resistant spring canola for Canada?	Rahman	Habibur	Canada
P 069	Influence of certain climate parameters on rapeseed yield and oil content of seeds	Marjanovic-Jeromela	Ana	Serbia
P 070	Genetic investigation of the origination of allopolyploid with virtually synthesized lines: Application to the C subgenome of Brassica napus	Qian	Wei	China
P 071	Mapping of QTLs associated with Sclerotinia Stem Rot resistance in Spring Canola Brassica napus	Falak	Igor	Canada
P 072	Evaluation of population structure in canola breeding germplasm	Powers	Carol	USA
P 073	Heterosis and combining ability for seed yield, its components and some physiological characters in rapeseed (<i>Brassica napus</i> L.)	Pourdad	Saeid	Iran
P 074	Seed yield stability of spring rapeseed (<i>Brassica napus</i> L.) in warm dry-lands of Iran	Pourdad	Saeid	Iran
P 075	Field testing and sensitivity of winter rapeseed to pathogens Phoma lingam and Sclerotinia sclerotiorum	Plachka	Eva	Czech Republic
P 076	Characterization of oilseed genotypes using microsatellite based DNA barcode	Pilinszky	Katalin	Hungary
P 077	Assessment of genetic diversity of mustard germplasm in Sri Lanka: An application of self-organizing map (SOM) with dimension reduction	Peiris	Kalum Danushka	Sri Lanka
P 078	Nitrogen remobilisation efficiency for oilseed rape yield improvement	Laperche	Anne	France

Poster nr.	Abstract title	Surname	First name	Country
P 079	CMS/Rf hybrid seed production system for turnip rape	Niemelä	Tarja	Finland
P 080	Increase the resolution of chromosome analysis and mapping of oilseed rape and other small chromosome plants by use of intercalators	Muravenko	Olga	Russia
P 081	Genetic variation for seed fibre content in a set of current European winter oilseed rape cultivars	Mollers	Christian	Germany
P 082	NIRS-assisted TILLING for seed quality traits in oilseed rape	Mollers	Christian	Germany
P 083	The effect of lead on different rapeseed genotypes grown in vitro	Marjanovic-Jeromela	Ana	Serbia
P 084	Nitrogen efficiency of different Brassica napus genotypes including semi-dwarf hybrids	Miersch	Sebastian	Germany
P 085	Genotype x environment interactions for pod number and 1000 seed weight in rapeseed	Marjanovic-Jeromela	Ana	Serbia
P 086	Variability of some quantitative traits among and within winter cultivars of rapeseed (<i>Brassica napus</i> L.)	Marinkovic	Radovan	Serbia
P 087	Development of fertility restorers of winter oilseed rape with low glucosinolate content for the cytoplasmic male sterility Ogu-INRA system	Machackova	Ivana	Czech Republic
P 088	Rapeseed sowing date and winter hardiness at central environments of Iranian	Madani	Hamid	Iran
P 089	Investigation of the relationship of genetic and phenotypic distance of parental lines of F1 hybrids with yielding ability and heterosis	Liersch	Alina	Poland
P 090	The breeding technology study and germplasm innovation on super-high oil content in <i>B. napus</i> L.	Li	Dianrong	China
P 091	Technique of hybrid with new chemical hybridizing agent SX-1 and new rapeseed hybrids breeding	Li	Yonghong	China
P 092	The breeding and hybrids production and purity identification of high oil and double-low hybrid rapeseed variety Qinyou No.7	Li	Dianrong	China
P 093	Determination of phytohormones in rape tissues by liquid chromatography-electrospray tandem mass spectrometry	Li	Peiwu	China
P 094	Use of a green revolution gene in winter canola hybrids	Kraling	Konrad	Germany
P 095	Improved microspore derived embryo to plant conversion and in vitro vernalisation in winter oilseed rape	Klutschewski	Sarah	Germany
P 096	Recent results of the Czech winter oilseed rape breeding	Klima	Miroslav	Czech Republic
P 097	Genetic variation for root developmental traits in <i>Brassica napus</i> seedlings	Kiran	Aysha	Germany
P 098	Selection of high oleic acid content line in <i>Brassica napus</i> L. by doubled-haploids culture for biodiesel production	Kim	Kwangsoo	South-Korea
P 099	Yielding of winter oilseed rape DH lines in series of line x tester experiments	Kaczmarek	Zygmunt	Poland
P 100	Genetic analysis of traits associated with nitrogen use efficiency in winter oilseed rape	Jestin	Christophe	France
P 101	Resynthesized rapeseed with wild <i>Brassica</i> species as new genetic resource for breeding	Jesske	Tobias	Germany
P 102	Development of canola <i>Brassica juncea</i> with high oleic and low linolenic acid profile	Cheng	Bifang	Canada
P 103	Identification of quantitative trait loci (QTL) and development of NILs for oil content in <i>Brassica napus</i>	Wu	Jiangsheng	China
P 104	A panel of 31 single-locus microsatellite markers for population genetic analysis in <i>Brassica napus</i> and crossspecies amplification in <i>Cruciferae</i>	Liu	Kede	China
P 105	Analysis of combining ability for characters of male sterile lines in rapeseed (<i>Brassica napus</i> L.)	Huang	Zesu	China
P 106	Pod shatter resistance evaluation in Australian cultivars of <i>Brassica napus</i>	Hossain	Shanoor	Australia
P 107	Towards map-based cloning of the male-sterile genes from a recessive genic male sterility line in rapeseed (<i>Brassica napus</i>)	Hong	Dengfeng	China
P 108	Genetics of resistance in rutabaga (<i>Brassica napus</i> var. <i>napobrassicae</i>) to <i>Plasmodiophora brassicae</i> pathotype 3	Hasan	Muhammad	Canada
P 109	Gene expression profiles of oleic acid in <i>Brassica Napus</i> by microarray analysis	Guan	Chunyun	China
P 110	Inheritance law of oleic acid character on <i>Brassica Napus</i>	Guan	Mei	China
P 111	Conventional breeding for high-oleic and low-linolenic <i>Brassica napus</i> oil profile	Gorlov	Sergey	Russia
P 112	Breeding of winter type of <i>Brassica juncea</i> L. in the All-Russia Research Institute of Oil Crops by V.S. Pustovoit	Gorlov	Sergey	Russia
P 113	The development of high efficient functional markers and its application in QTL fine mapping in <i>Brassica</i> species	Li	Jiana	China
P 114	Screening of core simple sequence repeat primer pairs and the establishment of multiplex-PCR system in <i>Brassica</i> species	Li	Jiana	China
P 115	The development of small-RNA-related molecular marker and its application	Li	Jiana	China
P 116	Improvement of plant type in <i>brassica napus</i>	Fu	Tingdong	China
P 117	Mapping of quantitative trait loci and development of allele-specific markers for seed weight in <i>Brassica napus</i>	Fan	Chuchuan	China

Poster nr.	Abstract title	Surname	First name	Country
P 118	Effect of chemical mutagens on seed viability and germination in Brassica napus L.	Emrani	Nazgol	Iran
P 119	RLM7 resistance to Leptosphaeria maculans in winter oilseed rape hybrids	Clarke	Matthew	United Kingdom
P 120	Genetic variation of bioactive compounds in doubled haploid populations of winter oilseed rape (Brassica napus L.)	Cegielska-Taras	Teresa	Poland
P 121	Radiation hybrid mapping of radish chromosome d in rapeseed background	Budahn	Holger	Germany
P 122	White mustard (Sinapis alba L.) breeding for oil and meal quality	Bartkowiak-Broda	Iwona	Poland
P 123	Identification of major gene resistance in European Brassica napus winter cultivars using a differential set of Leptosphaeria maculans single-spore isolates	Barbulescu	Denise	Australia
P 124	High level resistance against white rust (Albugo candida) race 2V identified in Brassica juncea genotypes from China and Australia	Barbetti	Martin	Australia
P 125	Microarray analysis of gene expression in developing seed of rapeseed (Brassica napus L.)	Takahata	Yoshihito	Japan
P 126	Microspore mutagenesis: selection for useful agronomic traits and fungal disease resistance in Indian mustard	Agnihotri	Abha	India
P 127	Cloning and analysis of the phytoene synthase (BnPsy) gene in Brassica napus L.	Niu	Yingze	China
P 128	Cloning and characterization of phytoene desaturase(BnPDS) gene in the different flower color lines in Brassica napus L.	Niu	Yingze	China
P 129	Research progress towards understanding the molecular mechanism of a dominant genic male sterility in rapeseed (Brassica napus)	Yang	Guangsheng	China
P 130	Production of GLA in rapeseed by expression of delta 6-fatty acid desaturase gene from Rhizopus stolonifer	Jiang	Mulan	China
P 131	Cloning and molecular characterization of alcohol dehydrogenase gene from Brassica napus L.	Zhang	Xue-kun	China
P 132	Cloning and characterization of zeaxanthin epoxidase(BnZEP) gene in Brassica napus L.	Niu	Yingze	China
P 133	Comprehensive evaluation on tolerance to waterlogging among different rapeseed varieties	Zhang	Xuehua	China
P 134	Molecular analyses of resistance to Sclerotinia sclerotiorum in Camelina sativa	Eynck	Christina	Canada
P 135	Genetic dissection of seed weight and seeds per silique by conditional QTL mapping in Brassica napus	Huang	Jixiang	China
P 136	Biochemical and molecular analyses of flavonoid metabolism in Brassica napus seed: identification of key factors for seed coat pigmentation	Auger	Bathilde	France
P 137	Microspore culture of F1 hybrid between Brassica Napus and Brassica Juncea is the effective way on breeding	Li	Xun	China
P 138	Functional analysis of Brassica napus BnLAS gene	Zhou	Yongming	China
P 139	The establishment of EST-SSR marker technique for Sclerotinia sclerotiorum	Fan	Zhixiong	China
P 140	Fingerprinting maps construction of Brassica napus and the rapeseed germplasm with super-high oil content in China	Wang	Hao	China
P 141	Functional analysis of myb transcription factor gene under abiotic stress in Brassica juncea L. Coss. & Czern	Singh	Dhiraj	India
P 142	Screening and Analysis of Multiple Copy of Oleate Desaturase Gene(fad2) in Brassica napus	Xiao	Gang	China
P 143	Production and Molecular confirmation of true hybrids (3n, ABC) of Brassica juncea (AABB) and B. oleracea (CC)	Wickramasekara	Shasheema	Sri Lanka
P 144	High-Throughput SNP Discovery in Brassica napus Using Genome Complexity Reduction and Next-Generation Sequencing Technologies	Tang	Shunxue	USA
P 145	Single Nucleotide Polymorphisms (SNPs) in Brassica napus	Tang	Shunxue	USA
P 146	Multiplexed 454 amplicon sequencing for high-throughput SNP discovery in homoeologous copies of Brassica napus candidate genes	Snowdon	Rod	Germany
P 147	A novel ORF288 co-transcribed with ATP6 is associated with hau cytoplasmic male sterility in brassica juncea	Shen	Jinxiong	China
P 148	Isolation and functional characterization of petal specific BnPis promoter from rapeseed (Brassica napus L.)	Roh	Kyung Hee	South-Korea
P 149	Production of doubled haploid plants through colchicine treatment of microspore derived haploid embryo in the oilseed rape (Brassica napus L.)	Pourmohamadi	Payam	Iran
P 150	Molecular analysis of DH lines of winter oilseed rape transformed with genes changing in response to drought stress	Olejnik	Anna	Poland
P 151	Cloning and functional analysis of Enoyl-CoA reductase gene BnECR from oilseed rape (Brassica napus L.)	Li	Jiana	China
P 152	The localization of multiple QTLs on the genetic map of winter oilseed rape (Brassica napus L. var. oleifera)	Matuszczak	Marcin	Poland
P 153	Cloning and analysis of MAPK1 and it's promoter from Brassica napus	Lu	Junxing	China
P 154	Unravelling epigenetic QTLs in the genome of Brassica Napus	Long	Yan	China
P 155	Systematic cloning and characterization of 4-coumarate:CoA ligase genes from Brassica species	Chai	You-Rong	China
P 156	Additive main multiplicative interaction and bi-plot analysis to identify stable genotypes of Indian mustard for quality characters	Chauhan	Jitendra S.	India

Poster nr.	Abstract title	Surname	First name	Country
P 157	Molecular evidence of genomic changes following amphiploidy in Brassica juncea	Kaur	Gurpreet	India
P 158	Comparative transcriptome analysis of Arabidopsis and rapeseed under extreme temperature stress	Kim	Saerom	South-Korea
P 159	High throughput lipidomics analysis in rapeseed oil research	Chen	Hong	China
P 160	High oleic acid rapeseed (Brassica napus L.) produced by transformation with an ihpRNA vector targeting the delta-12 desaturase gene	Chen	Song	China
P 161	Transgenic plant production using pre-incubated microspores by microprojectile bombardment in Brassica napus L.	Chen	Wenpin	Canada
P 162	The physiological response and gene expression profiling of Korean rapeseed cultivars under flooding stress	Kim	Gui Yeon	South-Korea
P 163	Study of recessive genic male sterile genes by RAPD molecular marker in rapeseed (Brassica napus L.)	Huang	Xianqun	China
P 164	The role of silique wall on seed oil content in Brassica napus	Hua	Wei	China
P 165	Transposon insertion into the locus of BnA10.FLC made up winter rapeseed	Hou	Jinna	China
P 166	Diversity and functional analysis of SYMBIOSIS genes in Brassica species	Hayward	Alice	Australia
P 167	Identification of candidate gene(s) of jasmonate signaling pathway and their expression during pathogenesis of Alternaria blight in Brassica juncea	Giri	Priyanka	India
P 168	Characterization and comparison of gene-based simple sequence repeats in cross-species of Brassica	Li	Jiana	China
P 169	Quantitative trait loci analysis of seed quality traits in spring-type Brassica napus	Fobert	Pierre	Canada
P 170	Are cleistogamous oilseed rape lines an effective confinement strategy for reducing the outcrossing potential via pollen?	Dowideit	Kerstin	Germany
P 171	Real time PCR detection and quantification of broomrape seed contamination in OSR seed lots	Delavault	Philippe	France
P 172	Functions of TOR signaling in Brassica and Arabidopsis	Datta	Raju	Canada
P 173	Ultradeep genome and transcriptome mapping in Brassica napus using next-generation sequencing	Cordero	Julio	Germany
P 174	Effects of seed color, size on germination and emergence of rapeseed (Brassica napus L.) at different temperature	Hu	Liyong	China
P 175	Effects of nitrophenolate biostimulator on field grown oil seed rape plants	Gawronska	Helena	Poland
P 176	Control of imidazolinone-tolerant volunteer oilseed rape in the subsequent crop winter wheat	Krato	Christoph	Germany
P 177	Gene flow between imidazolinone-tolerant and conventional winter oilseed rape varieties	Krato	Christoph	Germany
P 178	Drift of pesticides in dust developing during drilling of Oil Seed Rape	Heimbach	Udo	Germany
P 179	Potential of some forage brassicas for green manure use	Marjanovic-Jeromela	Ana	Serbia
P 180	Honeybees: alternative to increase the yield and quality of canola oil for biodiesel production in Brazil	Tomm	Gilberto	Brazil
P 181	Effect of biogas plant slurry enrichment on growth and yield attributes of mustard	Singh	Dhiraj	India
P 182	Yield potential in spring and winter rapeseed genotypes	Iriarte	Liliana	Argentina
P 183	Sowing date effects on phenology, morphology and seed yield of oilseed rape	Rampin	Enrico	Italy
P 184	Pollen - mediated intraspecific gene flow in winter oilseed rape (Brassica napus L. var. oleifera)	Bartkowiak-Broda	Iwona	Poland
P 185	Syngenta's Operation Pollinator: Improving the fortunes of the worlds pollinators, whilst retaining farm profitability	Weiss	Patrick	Switzerland
P 186	Genotypic responses to seedling stage heat stress in Brassica napus and its mitigation through pretreatment with salicylic and abscisic acids	Atwal	Amarjeet Kaur	India
P 187	Studies of plant growth promoting bacteria associated to rapeseed (Brassica napus) roots	Iriarte	Liliana	Argentina
P 188	Effects of pod position and its appearance time on pod and seed abortion in winter oilseed rape (Brassica napus L.)	Mathieu	Amelie	France
P 189	Crop management of unsatisfactorily overwintered winter rapeseed in the south of Russia	Zaitsev	Nikolay	Russia
P 190	Does seed-applied salicylic acid affect rapeseed germination performance under salinity?	Saffarian	Parisa	Iran
P 191	Comparative study of input-output benefit of effective integration technology in double-low rapeseed	Yang	Liangjin	China
P 192	Root morphology and nitrogen uptake in new hybrids of winter oilseed rape	Zanetti	Federica	Italy
P 193	The profitability of winter oilseed rape is enhanced by green pea as a previous crop	Flenet	Francis	France
P 194	Efficiency of spring sulphur fertilization of winter oilseed rape hybrid varieties in diverse conditions of nitrogen fertilization	Wielebski	Franciszek	Poland
P 195	Effect of drought stress on proline content and canola (Brassica napus L.) antioxidants enzymes activity	Saffarian	Parisa	Iran

Poster nr.	Abstract title	Surname	First name	Country
P 196	Effects of differential nitrogen fertilization on the growth and agronomic performance of late-season winter rape (<i>Brassica napus</i> L.)	Ni	Ma	China
P 197	Study of amount and time application of complete fertilizer on yield and quality characters of winter rapeseed (<i>Brassica napus</i> L.)	Saffarian	Parisa	Iran
P 198	Effects of Spraying Multi-Effects Triazole on Waterlogging Tolerance in Rapeseed (<i>Brassica napus</i> L.) Seedling	Zhang	Xuehua	China
P 199	Climate changes and oilseed rape production in China: Environmental impacts on oilseed rape production	Zhang	Chunlei	China
P 200	Earthworms enhanced winter oilseed rape (<i>Brassica napus</i> L.) growth and nitrogen uptake	Zhang	Chunlei	China
P 201	Accumulation kinetics of fatty acids in new high erucic genotypes of winter oilseed rape	Zanetti	Federica	Italy
P 202	Evolution of the growth indices and grain yield of canola cultivars at different planting dates in Yasouj	Yadavi	Alireza	Iran
P 203	Some factors of production technology affecting seed yield of winter oilseed rape	Wojtowicz	Marek	Poland
P 204	A novel system for controlled phenotyping of drought stress tolerance in oilseed rape	Wittkop	Benjamin	Germany
P 205	Seed persistence of novel-trait oilseed rape (<i>Brassica napus</i> L.) genotypes in different soils	Weber	Ernst	Germany
P 206	Nitrogen management strategies in organic winter oilseed rape (<i>Brassica napus</i> L.) in Sweden	Wallenhammar	Ann-Charlotte	Sweden
P 207	Reinforce biotic interactions in agro-ecosystems: a way to design environmental friendly crop management for winter oilseed rape.	Valantin-Morison	Muriel	France
P 208	Mixing Wwinter oilseed rape (WOSR) and legume to smoother weeds, disturb insects and reduce nitrogen use: possible or not?	Valantin-Morison	Muriel	France
P 209	Evaluation the effect of foliar absorption of Glycine Betaine on yield and physiological characteristics of Rapeseed cultivars	Tookalloo	Mohammad Reza	Iran
P 210	Can canola be produced in tropical areas?	Tomm	Gilberto	Brazil
P 211	Statistical approach to predict abundances of oilseed rape volunteers	Thoele	Heinrich	Germany
P 212	Effect of abscisic acid on physiological indices of aged seeds of <i>Brassica napus</i> under low temperature stress	Tavakkol Afshari	Reza	Iran
P 213	Effect of abscisic acid on desiccation tolerance in rapeseed (<i>Brassica napus</i> L.) cultivars using somatic embryogenesis	Tavakkol Afshari	Reza	Iran
P 214	Pre-harvest sprouting - a risk for low-dormancy oilseed rape? Development of a simple test and first results	Stockmann	Falko	Germany
P 215	Investigations on the growth of mycelium cauliflower fungus on composites filled with rapeseed straw with a polymer matrix	Starzycki	Michal	Poland
P 216	Development and Management of Winter Canola for the Great Plains Region	Stamm	Michael	USA
P 217	The effects of sulfur fertilizer and plant densities on seed and oil yield of Canola cultivars	Soleymani	Ali	Iran
P 218	Effects of cut off the irrigation in different growth stages on yield and yield components of rapeseed cultivars	Soleymani	Ali	Iran
P 219	The influence of relay cropping on growth length, light, interception and solar radiation depreciation of some specieses of <i>Brassica</i>	Soleymani	Ali	Iran
P 220	Study the effects of relay cropping on yield and yield components of different species of <i>Brassica</i>	Soleymani	Ali	Iran
P 221	Changes of yield and yield components of canola cultivars under different plant densities and application of sulfur fertilization	Soleymani	Ali	Iran
P 222	Autumnal regulation and nitrogen fertilization in winter rapeseed (<i>brassica napus</i> L. convar. <i>napus</i> f. <i>biennis</i>) with different stand density	Simka	Jiri	Czech Republic
P 223	Assessment of the impact of oilseed rape cultivation on farmland birds in France	Sausse	Christophe	France
P 224	Effect of seed osmopriming on seed germination behavior and vigor of Soybean (<i>Glysin max</i> L.)	Sadeghi	Hossein	Iran
P 225	Evaluation of seed viability and vigor of oilseed rape (<i>Brassica napus</i> L.) under different seed moisture content at harvesting time	Sadeghi	Hossein	Iran
P 226	Rapeseed-Faba bean intercrop in low input systems: nitrogen transfer and niche separation	Piva	Guillaume	France
P 227	Effect of seeding date on spring canola production grown under a cool climate	Pageau	Denis	Canada
P 228	Mechanical harvest affects winter rape (<i>Brassica napus</i> L.) profitability	Ni	Ma	China
P 229	Effect of drought stress on yield and yield components of rapeseed cultivars in Iran (Esfahan) region	Naderi Darbaghshahi	Mohammad Reza	Iran
P 230	Effect of sowing date and application time of nitrogen fertilizer on agronomical traits of spring rapeseed in Iran cold regions	Naderi Darbaghshahi	Mohammad Reza	Iran
P 231	The evaluating of chemical phosphate fertilizers and Phosphor solubilizing bacteria on winter rapseed production	Madani	Hamid	Iran
P 232	Effect of harvesting time on yield and grain shattering of Rapeseed (<i>Brassica napus</i> L. cv. Okapi) under Arak, Iran environment	Madani	Hamid	Iran
P 233	Investigation for rapeseed shattering in Iran. case study: Markazi province	Madani	Hamid	Iran
P 234	Reduced losses and increased capacity by combine harvesting of winter rape seed	Lundin	Gunnar	Sweden

Poster nr.	Abstract title	Surname	First name	Country
P 235	Study of a nitrate supply on the removal toxicity of ammonium and urea nutrition in winter oilseed rape	Laine	Philippe	France
P 236	Oilseed rape variety responses to nitrogen fertiliser - a pilot study	Kightley	Simon	United Kingdom
P 237	Oilseed rape yield limiting factors in the UK – failure to translate cultivar improvement into commercial performance	Kightley	Simon	United Kingdom
P 238	The efficiency of ammonium sulfate as a nitrogen and sulfur source for wheat and canola cropping system in southeastern Australia	Norton	Robert	Australia
P 239	Using of leaf fertilizers and stimulator in oilseed rape growing	Skarik	Josef	Czech Republic
P 240	Winter oilseed rape growing in conditions of organic agriculture	Skarik	Josef	Czech Republic
P 241	Biological soil mapping of soilborne pathogens in rapeseed	Jonsson	Anders	Sweden
P 242	Balanced nutrition in Brassica napus production with emphasis on S fertilizer requirements	Jensen	Thomas	Canada
P 243	Survey of changes in grain and oil yield of spring rapeseed cultivars under different planting pattern in Isfahan climatic condition	Javanmard	Hamidreza	Iran
P 244	Responses of spring rapeseed cultivars to different sowing date in semi-arid condition of Isfahan province, Iran	Javanmard	Hamidreza	Iran
P 245	Assessment of drought stress and various levels of potassium on biochemical properties of two species of canola and mustard	Fanaie	Hamid Reza	Iran
P 246	Effects of two humic acids on growth of winter oilseed rape (<i>Brassica napus</i>) and wheat (<i>Triticum aestivum</i>)	Etienne	Philippe	France
P 247	Rapeseed responses to salinity under elevated atmospheric CO ₂ concentration	Dehshiri	Abbas	Iran
P 248	Cross-contamination of rapeseed seeds by postharvest insecticide residues during seed storage	Dauguet	Sylvie	France
P 249	Effects of irrigation regimes and nitrogen management on oil content and composition of rapeseed (<i>Brassica napus</i> l. var. Hayola 401)	Danesh Shahraki	Abdolrazagh	Iran
P 250	Leaf proteome of rapeseed subjected to sulphur restriction reveals numerous changes in proteins related to sulphur, carbon metabolisms and oxidative stress	D'Hooghe	Philippe	France
P 251	Effects of shading on biomass production and N-dynamics in winter oilseed rape (<i>Brassica napus</i> L.)	Etienne	Philippe	France
P 252	Which crop inputs have the greatest impact on canola yield?	Blackshaw	Robert	Canada
P 253	Biochemical marker for salinity tolerance in Rapeseed-Mustard	Bhagal	Narindar Singh	India
P 254	Lower and higher input crop management in winter oilseed rape – influence on yield, quality and some another important properties	Baranyk	Petr	Czech Republic
P 255	Row spacing effect on some of the quantitative and qualitative characteristics of canola cultivars (<i>Brassica napus</i> L.) in Jiroft region	Balouchi	Hamidreza	Iran
P 256	Effect of seed aging on germination and seedling growth indices on three canola cultivars (<i>Brassica Napus</i> L.)	Balouchi	Hamidreza	Iran
P 257	Influence of sowing date and rate on winter oilseed rape (<i>Brassica napus</i> ssp. <i>oleifera</i>) straw yield and seed/straw ratio	Balodis	Oskars	Latvia
P 258	Effects of sowing date on three genotypes of rapeseed in dry farming at gonbad area	Bakhsh Kelarestaghi	Kioomars	Iran
P 259	Investigation of sowing date on six fall varieties of rapeseed in mashhad	Bakhsh Kelarestaghi	Kioomars	Iran
P 260	Study on some physiological indices and final yield of spring cultivars species of rapeseed	Azizi	Mehdi	Iran
P 261	Determination of leaf partitioning coefficients between spring rapeseed cultivars	Arvin	Pooya	Iran
P 262	Comparison on the plasma membrane H ⁺ -ATPase of rapeseed and camelina under cold stress and releasing stress	Ahn	Sung-Ju	South-Korea
P 263	Current status of resistance level in pollen beetle (<i>Meligethes aeneus</i> F.) and cabbage seed weevil (<i>Ceutorhynchus assimilis</i> Payk) to selected active substances of ir Zamojska	Wegorek	Joanna	Poland
P 264	A strategy of controlling pollen beetle (<i>Meligethes aeneus</i> F.) and cabbage seed weevil (<i>Ceutorhynchus assimilis</i> Payk) in Poland considering differences in resistance	Wegorek	Pawel	Poland
P 265	Variability in resistance of pollen beetle populations to pyrethroids	Stara	Jitka	Czech Republic
P 266	RAISO-Scléro: a decision support system to follow up petal contamination of sclerotinia in oilseed rape.	Varraillon	Thierry	France
P 267	An evaluation on the effects of sowing date, variety and number of spraying on rapeseed pollen beetle control in Iran	Zaman Mirabadi	Ali	Iran
P 268	Sclerotinia stem rot disease of rapeseed in the north of Iran	Zaman Mirabadi	Ali	Iran
P 269	EFILOR® – combining protective and curative AIs for flexible and reliable disease control	Speakman	John-Bryan	Germany
P 270	Use of bacteria indigenous to oilseed rape for enhanced crop yield – from field to genomics	Alstrom	Sadhna	Sweden
P 271	Effects of different fungicides and active ingredients against Stem Canker (<i>Phoma lingam</i>) in Oilseed rape	Paul	Volker H.	Germany
P 272	Effect of soil application of micro nutrients on white rust and <i>Alternaria</i> blight in Indian mustard	Rathi	Ajit Singh	India
P 273	Identification of the differences in genetic molecules from different sources of <i>Plasmiodiophora Brassicae</i> Worm	Niu	Yingze	China

Poster nr.	Abstract title	Surname	First name	Country
P 274	Estimation of avoidable yield losses of Brassica species due to insect pests in south -western region of Punjab	Sekhon	Baljinder	India
P 275	Presence and spread of 'Candidatus Phytoplasma asteris' in winter oilseed rape in Italy	Rampin	Enrico	Italy
P 276	Screening for resistance of oilseed rape cultivars to clubroot (<i>Plasmodiophora brassicae</i>)	Liu	Yong	China
P 277	Analysis of Brassica nigra chromosomes allows identification of a new effective <i>Leptosphaeria maculans</i> resistance gene introgressed in Brassica napus	Eber	Frederique	France
P 278	Nutritional effects on visual appearance as a mechanism for differences in the attractiveness of oilseed rape to <i>Ceutorhynchus obstrictus</i>	Tansey	James	Canada
P 279	DuPont working for improved disease control strategies in oilseed rape	Matysiak	Robert	Poland
P 280	Indoxacarb - a new tool for the control of pollen beetle, <i>Meligethes aeneus</i> , in Oil Seed Rape	Rison	Jean-Luc	United Kingdom
P 281	Effect of plant architecture on the infestation of Brassica genotypes by cabbage stem weevil, <i>Ceutorhynchus pallidactylus</i> (Mrsh.)	Ulber	Bernd	Germany
P 282	Impact of timing of autumn fungicide treatments on infection of oilseed rape by stem canker of crucifers	Kaczmarek	Joanna	Poland
P 283	Sensitivity of <i>Leptosphaeria maculans</i> and <i>Leptosphaeria biglobosa</i> to demethylation-inhibitors	Strey	Maria	Germany
P 284	Effects of fungicide on growth of <i>Leptosphaeria maculans</i> and <i>L. biglobosa</i> (phoma stem canker) in oilseed rape	Huang	Yongju	United Kingdom
P 285	In-field distribution and quantification of <i>Plasmodiophora brassicae</i> in soil samples measured using real-time PCR	Wallenhammar	Ann-Charlotte	Sweden
P 286	Development of disease support systems of <i>Sclerotinia</i> stem rot in oilseed rape using real-time PCR	Wallenhammar	Ann-Charlotte	Sweden
P 287	Could it be possible to disturb the insects' behaviour and to reduce damages of pollen beetle and stem weevil?	Valantin-Morison	Muriel	France
P 288	Rerearch into oilseed rape stem (<i>Ceutorhynchus</i> spp.) and pod pests (<i>Ceutorhynchus assimilis</i> and <i>Dasineura brassicae</i>) biology in Lithuania	Vaitelyte	Birute	Lithuania
P 289	Biological control of <i>Sclerotinia sclerotiorum</i> , <i>Leptosphaeria maculans</i> and <i>Verticillium dahliae</i> in oil-seed rape by <i>Pythium oligandrum</i> based fungicide	Uher	Jiri	Czech Republic
P 290	Establishing a new semi-quantitative PCR-based method for detecting infectious <i>Plasmodiophora brassicae</i> spores in soil	Strehlow	Becke	Germany
P 291	Survey to detect potential flea beetle (coleoptera: chrysomelidae) species composition shift in canadian oilseed rape fields	Soroka	Juliana	Canada
P 292	<i>Sclerotinia</i> stem rot: A threat to rapeseed- mustard cultivation and its management	Shivpuri	Asha	India
P 293	GGE Biplot analysis of Brassica genotypes for white rust disease severity under aided epiphytotic conditions in India	Sandhu	Prabhjodh Singh	India
P 294	Fungicide performance against <i>sclerotinia</i> stem rot in winter oilseed rape	Berry	Pete	United Kingdom
P 295	Fungicide application timing and control of <i>sclerotinia</i> stem rot on winter oilseed rape in England in 2008 and 2009	Berry	Pete	United Kingdom
P 296	Sustainability of rapeseed production via stress tolerance	Singh	Dhiraj	India
P 297	Identification of resistant sources against <i>Sclerotinia sclerotiorum</i> in Brassica species with emphasis on <i>B. oleracea</i>	Qian	Wei	China
P 298	The infestation of winter oilseed rape by <i>Sclerotinia sclerotiorum</i> and <i>Phoma lingam</i> in the Czech Republic in years 2006 - 2010	Plachka	Eva	Czech Republic
P 299	Complex of major fungal diseases of winter and spring oilseed rape in Lithuania	Petratiene	Egle	Lithuania
P 300	Determining the successful conditions for biological control of <i>Sclerotinia sclerotiorum</i> by <i>Coniothyrium minitans</i> based on an analysis of 10 year experiments	Penaud	Annette	France
P 301	Effects of different fungicides/active ingredients against Dark Leaf and Pot Spot (<i>Alternaria brassicicola</i> and <i>A. brassicae</i>) in Oilseed rape	Paul	Volker H.	Germany
P 302	Contribution to the early detection of light leaf spot and control methods in oilseed rape in Germany	Paul	Volker H.	Germany
P 303	Investigation of the use of <i>Burkholderia phytofirmans</i> strain PsJN for flea beetle control in canola	Soroka	Juliana	Canada
P 304	Modeling tools provide advance warnings of potential distribution of diamondback moth and crop risk associated with the number of generations	Olfert	Owen	Canada
P 305	Incidence of the cabbage seedpod weevil (<i>ceutorhynchus obstrictus</i>) and the brassica pod midge (<i>dasyneura brassicae</i>) in rapeseed in Vojvodina province	Milovac	Zeljko	Serbia
P 306	Virulence analysis of <i>Plasmodiophora brassicae</i> derived from different locations of the main European oilseed rape growing regions	Lueders	Wolfgang	Germany
P 307	Identification of phoma stem canker pathogen isolated from oilseed rape in China	Li	Qiangsheng	China
P 308	Early risk assessment of <i>Sclerotinia sclerotiorum</i> using different methods of inoculum quantification	Penaud	Annette	France
P 309	The race structure of <i>Leptosphaeria maculans</i> in western Canada	Kutcher	Randy	Canada
P 310	<i>Cotesia glomeratus</i> - a potential biocontrol agent for large white butterfly, <i>Pieris brassicae</i> in Indian Punjab	Kumar	Sarwan	India
P 311	Infection of winter oilseed rape cultivars by <i>Typhula</i> spp. and its effect on seed yielding in Poland	Korbias	Marek	Poland
P 312	Atonik treatment and its effect on occurrence of Brassica pod midge (<i>Dasineura napi</i>) population in winter oilseed rape	Herda	Gerhard	Czech Republic

Poster nr.	Abstract title	Surname	First name	Country
P 313	Occurrence of virus diseases on oilseed rape growths in the Czech Republic	Herda	Gerhard	Czech Republic
P 314	Clubroot development in resistant and susceptible canola cultivars affects soil populations of Plasmodiophora brassicae	Hwang	Sheau-Fang	Canada
P 315	Molecular analysis of genes of Leptosphaeria maculans involved in blackleg disease	Howlett	Barbara	Australia
P 316	Report on a new pest strongylloides variegatus (Fairmaire) in Anhui Province, China	Hou	Shumin	China
P 317	Assessment of quantitative resistance level impact on durability of associated qualitative resistance using model simulations. Example of phoma stem canker	Hossard	Laure	France
P 318	Improvements of the SIPPOM-WOSR model for evaluation of management scenarios towards control of blackleg of winter oilseed rape	Hossard	Laure	France
P 319	Utilization of attractant allylthiocyanate as an untraditional way of Brassica pod midge (Dasineura napi) monitoring.	Herda	Gerhard	Czech Republic
P 320	Brassica pod midge (Dasineura napi) and its preference to different varieties of winter oilseed rape	Herda	Gerhard	Czech Republic
P 321	The seasonal specificity of weevil fly	Havel	Jiri	Czech Republic
P 322	Cruciferous stem and seed weevils as the main pests of winter oilseed rape	Grantina	Ingrida	Latvia
P 323	Impact of temperature and pH on symptom development of Plasmodiophora brassicae in canola	Gossen	Bruce	Canada
P 324	Control of clubroot on canola using the biofungicide Serenade plus cultivar resistance	Peng	Gary	Canada
P 325	Characterization of different behaviours of winter oilseed rape facing broomrape infestations	Delavault	Philippe	France
P 326	Identification of resistance mechanisms at anatomical levels in a Brassica napus genotype in response to Sclerotinia sclerotiorum infection	Garg	Harsh	Australia
P 327	Impacts of climate change on phoma stem canker and light leaf spot on UK winter oilseed rape	Fitt	Bruce	United Kingdom
P 328	Integrating 454-Pyrosequencing and Culture-methods to comprehensively explore Bacterial Communities that influence Canola Health under different cropping system	Fernando	Dilantha	Canada
P 329	Molecular characterization of the biocontrol activity of a novel canola-associated Pseudomonas species DF41 against the canola pathogen Sclerotinia sclerotiorum	Fernando	Dilantha	Canada
P 330	Clubroot resistance breeding in oilseed rape	Diederichsen	Elke	Germany
P 331	Assessment of quantitative resistance to Leptosphaeria maculans in controlled conditions	Delourme	Regine	France
P 332	Induced resistance to Leptosphaeria maculans in oilseed rape	Burketova	Lenka	Czech Republic
P 333	A method to phenotype the aggressiveness of Leptosphaeria maculans isolates on stem of oilseed rape in controlled conditions	Brun	Hortense	France
P 334	Ethamsulfuron-methyl (SALSA® 75WG): a new active and the first post-emergent herbicide that controls Brassica and Geranium species in oil seed rape	Brachaczek	Andrzej	Poland
P 335	Molecular characterization of resistance against Sclerotinia sclerotiorum in Brassica species	Bernsdorff	Friederike	Germany
P 336	Possibilities of improvement of winter rapeseed protection (Brassica napus L.) against sclerotinia (Sclerotinia sclerotiorum)	Becka	David	Czech Republic
P 386	What could be a canopy structure at flowering able to minimize the Sclerotinia sclerotiorum risk in winter oilseed rape?	Pinochet	Xavier	France
P 337	Determination of Multi-pesticide Residues in Rapeseed by GCxGC-mass Spectrometry	Li	Peiwu	China
P 338	A Brief Report on Immunoassay for 3-chloro-1,2-propanediol and its Esters Derivatives in Rapeseed Oil	Li	Peiwu	China
P 339	Chirality of the methylsulfinyl group is (R) in glucosinolates and (S) in native amino acids	Andersen	Keld Ejdrup	Denmark
P 340	In vivo determination of effects on xenobiotica metabolism from food/feed compounds defining acceptable concentrations in diets of xenobiotica including glucosinolat	Andersen	Keld Ejdrup	Denmark
P 341	Effect of treatment rapeseed by microwave on the main quality and volatile flavor compositions of rapeseed oil	Huang	Fenghong	China
P 342	Identification of adulteration in rapeseed oil with hadamard-transform-based near infrared spectroscopy	Li	Peiwu	China
P 343	Influence of the near-ambient drying on the tocopherols content in rapeseed	Rudzinska	Magdalena	Poland
P 344	Degradation of phytosterols during inappropriate rapeseed storage	Rudzinska	Magdalena	Poland
P 345	Bioactive sulfur compounds in Broccoli and other Brassicaceae plants; the glucosinolates and S-methylcysteine sulfoxide as precursors of methylthiocyanate and dim	Frandsen	Heidi Blok	Denmark
P 346	Obtention of high micro-nutrients content rapeseed oil	Pages	Xavier	France
P 347	Phytosterols changes during frying in rapeseed oil	Rudzinska	Magdalena	Poland
P 348	Oral drenching of crude glycerol for primiparous dairy cows in the postpartum period	Kass	Marko	Estonia
P 349	Continuous microwave-assisted enzymatic hydrolysis system for soybean protein: design and performance evaluation	Chen	Hong	China
P 350	Zero-erucic acid rapeseeds oils improve lipid profile in rats fed a high-fat diet	Huang	Fenghong	China

Poster nr.	Abstract title	Surname	First name	Country
P 351	Nutritional value of press cake from yellow- or black-seeded winter rapeseed for growing pigs	Smulikowska	Stefania	Poland
P 352	Genetic and chemical investigations of antinutritive phenolic compounds (tannins) in rapeseed (<i>Brassica napus</i> L.)	Lipsa	Florin Daniel	Germany
P 353	Comparison of energy utilisation and nitrogen digestibility of rapeseed meals in roosters, broilers and young turkeys	Peyronnet	Corinne	France
P 354	Phenolic constituents in rapeseed flour – the next secondary plant products as important complex in our biosphere.	Zukalova	Helena	Czech Republic
P 355	Ileal amino acid digestibility in meals from yellow- and black-seeded <i>Brassica napus</i> and <i>Brassica juncea canola</i> when fed to pigs	Nyachoti	Martin	Canada
P 356	Gastrointestinal tract response of young turkeys fed meals derived from low-fibre yellow-seeded <i>B. napus</i> and <i>B. juncea canola</i>	Zdunczyk	Zenon	Poland
P 357	Protein and amino acid digestibility of meals derived from two types of winter rape differ in colour of seeds	Myszka	Kinga	Poland
P 358	The rapeseed oil impact on broiler chicken meat quality	Cerina	Sallija	Latvia
P 359	Performance, and thyroid gland, liver and kidney functions in broilers fed diets containing expeller-extracted canola meal	Nyachoti	Martin	Canada
P 360	Improvement of oilseed rape meal using near-infrared reflection spectroscopy based selection methods	Wittkop	Benjamin	Germany
P 361	Effects of glucosinolates and fibre resulting from rapeseed meal inclusion in phase 2 diet on piglet feeding behaviour and performance	Quinsac	Alain	France
P 362	Interest of using synthetic amino acids, including L-Valine for formulating low crude protein pig diets based on rapeseed meal	Quinsac	Alain	France
P 363	Impact of liquid feeding and health status on the use of a high level of rapeseed meal in pig fattening diets	Quinsac	Alain	France
P 364	Improvement of rapeseed meal by gentle fluidized bed desolventizing	Pudel	Frank	Germany
P 365	Economic effectiveness of the rapeseed oil cake use in farmed red deer ration	Proskina	Liga	Latvia
P 366	Preparation of rapeseed protein isolate from dehulled cold-press double-low rapeseed meal	Huang	Fenghong	China
P 367	Evaluation of the quality and degradability of rapeseed cake protein	Kass	Marko	Estonia
P 368	A multi-year survey on chemical composition of rapeseed meal produced in France	Dauguet	Sylvie	France
P 369	Chemical characteristics focusing on dietary fibre content and composition of meals derived from winter rapeseed differ in colour of seeds	Boros	Danuta	Poland
P 370	Rapeseed protein extraction process for aquafeed use	Adem	Halime	Germany
P 371	Single-screw extrusion as an energy saving preparation step for crushing rapeseed seeds	Quinsac	Alain	France
P 372	Adsorption degumming of rapeseed oils by solid dephosphorization agent	Huang	Fenghong	China
P 373	New processing technology of double-low rapeseed by dehulling-cold pressing-expansion	Huang	Fenghong	China
P 374	Aftertreatment of rapeseed oil fuel to reduce element contents	Gassner	Thomas	Germany
P 375	Opportunities and threats for the biodiesel market in Poland	Kempczynski	Lech	Poland
P 376	An overview of rapeseed oil as a biodiesel fuel	Yesiloglu	Yesim	Turkey
P 377	Rapeseed oil fuelled combined heat and power plants - technology, economy and sustainability under german conditions	Thuneke	Klaus	Germany
P 378	NOx reduction from diesel fuel and biodiesel by selective non-catalytic reduction	Krahl	Jürgen	Germany
P 379	500 hours endurance test on biodiesel running a Euro IV engine	Krahl	Jürgen	Germany
P 380	Production of biodiesel catalyzed by magnetic solid catalyst	Huang	Fenghong	China
P 381	Assessing land use impacts of rapeseed production in drylands: a case-study of experimental plots in Mendoza, Argentina	Silva Colomer	Jorge	Argentina
P 382	Can chemical analysis profiles be used to identify rapeseed samples?	Barthet	Veronique J.	Canada
P 383	High oleic / low linolenic winter oilseed rape varieties – The first five years of UK cultivation	Clarke	Matthew	United Kingdom
P 384	Rapeseed quality improvement and monitoring plan in China from 2000 to 2010	Li	Peiwu	China
P 385	GIS based integrated decision support system for mustard crop in India	Sahu	Ajaya Kumar	India
P 386	What could be a canopy structure at flowering able to minimize the <i>Sclerotinia sclerotiorum</i> risk in winter oilseed rape?	Pinochet	X.	France